

To the U.S. Patent & Trademark Office

Please stamp the date of receipt of the following

document(s) and return this card to us.

Atty Dkt. No: 00P7500US01

Atty: RSK/rcw

Applicant(s): McDaniel, et al. Serial No.: 09/809,155 Filed: March 5, 2001

X Information Disclosure Statement

X PTO Form 1449 w/1 references

X Date of Deposit:

Janel 10/9/62

To the U.S. Patent & Trademark Office

Please stamp the date of receipt of the following document(s) and return this card to us.

Atty: RSK/rcw

Atty Dkt. No: 00P7500US01

Applicant(s): McDaniel, et al.

Serial No.: 09/809,155

Filed: March.5, 2001



X Information Disclosure Statement

X PTO Form 1449 w/1 references

X Date of Deposit:

SIEMENS Corporation IPD-West Coast

186 Wood Avenue South Iselin, New Jersey 08830

PATENT APPLICATION

ATTORNEY DOCKET NO.: 00P7500US01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicar	nts: McDaniel, et al.)						
Applicat	tion No.: 09/809,155	I hereby certify that this paper is being deposited with the United States Postal Service as first class mail in an						
Filed:	March 5, 2001	envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231, on this date.						
Title:	PROGRAMMING AUTOMATION BY DEMONSTRATION	Date By: Raquel C. West						
	STANT COMMISSIONER FOR PATENTS n, D.C. 20231							
	INFORMATION DISCLOSUI	RE STATEMENT						
Sir: Th [X	r: This Information Disclosure Statement is submitted: [X] under 37 CFR 1.97 (b), or (Within three months of filing national application; or date of entry of international application; or befor mailing date of first office action on the merits; whichever occurs last)							
[.]	[] Certification under 37 CFR 1.97 (e), or [] A \$240.00 fee under 37 CFR 1.17 (p) authorized time during the pendency of this application, proposit Account 19-2179 pursuant to 37 CFR	norized to be charged to Deposit Account 19-2179. At any please charge any fees required or credit any overpayment to 1.25. e final action or notice of allowance, whichever occurs first)						
[]	Certification under 37 CFR 1.97 (e) and	equired with fee under 37 CFR 1.17(i)(1) whichever occurs first, but on or before payment of the						
[]	under 37 CFR 1.97 (i) [] Filed after payment of issue fee, but before	e grant of patent - No fee or certification required						
publications	pplicant(s) submit herewith Form PTO 1449 - Informa s or other information of which applicant(s) are aware a of this application and for which there may be a duty	ntion Disclosure Citation together with copies of patents, e, which applicant(s) believe(s) may be material to the y to disclose in accordance with 37 CFR 1.56.						
language inf	formation listed on PTO Form 1449, as presently und	age patents, foreign language publications and other foreign lerstood by the individual(s) designated in 37 CFR 1.56 (c) ed sheet or by the enclosed English-language search report.						
information	e undersigned hereby certifies under 37 CFR 1.97(e)(disclosure statement was cited in a communication fi not more than three months prior to the filing of the in	om a foreign patent office in a counterpart foreign						
disclosure st	e undersigned certifies under 37 CFR 1.97(e)(2) that tatement was cited in a communication from a foreign ge of the undersigned after making reasonable inquires.	no item of information contained in the information in patent office in a counterpart foreign application, and, to y, no item of information contained in the information						

disclosure statement was known to any individual designated in 1.56(c) more than three months prior to the filing of the information disclosure statement.

[X] Applicant does not believe any fee is due. However, at any time during the pendency of this application, please charge any fees required or credit any overpayment to Deposit Account 19-2179 pursuant to 37 CFR 1.25. A duplicate copy of this sheet is enclosed.

The filing of this information disclosure statement shall not be construed as a representation that a search has been made or that no other material information exists. Further, the filing of this information disclosure statement shall not be construed as an admission against interest in any manner or as an admission that the information cited is, or is considered to be material to patentability.

It is requested that the information disclosed herein be made of record in this application.

Respectfully Submitted,

Rosa S. Kim

Attorney for Applicant(s)

Reg. No.: 39,728

Date: /0-8-02

Telephone No.: (650) 694-5330

Substitute for form 1449A/PTO				Complete if Known		
INFORMATION DISCLOSURE Filing	Application Number	09/809,155				
INFO	RMATION D	ISC	LOSURE	Filing Date	March 5, 2001	
STAT	EMENT BY	APF	PLICANT	First Named Inventor	McDaniel, et al.	
				Group Art Unit	Not yet assigned	
((use as many sheets a	as nece	essary)	Examiner Name	Not yet assigned	
Sheet	1	of	1	Attorney Docket Number	00P7500US01	

				U.S. PATENT DOCUMEN	TS	
Examiner Initials*		U.S. Patent Document			Date of Publication of	Pages, Columns, Lines.
	Cite No.1	Number	Kind Code ² (if known)	Name of Patentee or Applicant of Cited Document	Cited Document MM-DD-YYYY	Where Relevant Passages or Relevant Figures Appear
	+					
•	+				 	

				FOREIG	N PATENT DOCUMENTS			
Examiner Initials*	Cite No.1	Office ³	Foreign Patent Docume Number ⁴	Kind Code ⁵ (if known)	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T.
	.]	DE	197 15 494 A1		Siemens AG	10/22/1998		X
		<u> </u>						
							· · · · · · · · · · · · · · · · · · ·	<u> </u>
	ļ	ļ <u>.</u>						

Examiner	Date	
Signature	Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

Method for generating operation and observation images for installation control systems

order to simplify and In facilitate the automation of the generation of operation and observation images for installation control systems, the invention proposes that an MCR scheme is taken as a basis and is decomposed into individual components in form of functional elements and connection elements, the individual functional elements being replaced by representation elements or by masking-out elements and the representation and masking-out elements being combined again with the connection elements.

Description

The invention relates to a method for generating operation and observation images. Operation and observation images, also called process images, are created for the monitoring and/or control of industrial installations. They serve for the visual representation of process operations, measurement and regulation variables and/or of operating units.

Operation and observation images symbolize the electronic or electrotechnical realization of a measurement/control and regulation scheme (MCR scheme) created for example from the mechanical engineering side.

In the prior art, the procedure is usually such that, for example, from the mechanical engineering side, installations are planned and are represented on the control side in the form of an MCR scheme. This information is usually transferred in the form of lists or files, graphic representations in paper form or else as CAD files. The implementing electronics teams thus no longer have the items of relationship information between the schematic drawings or plans and the instrument lists, which are lost through the usual type of transfer and have to be elaborated manually again using the documents.

Taking this prior art as a departure point, the present invention is based on the object of providing a

method for generating operation and observation images for installation control systems which can be used to create operation and observation images in a simplified manner and automated to the greatest possible extent.

For the technical achievement of this object, the invention proposes that an MCR scheme is taken as a basis and is decomposed into individual components in functional the form of elements and connection elements, the individual functional elements being replaced by representation elements or by masking-out elements and the representation and masking-out elements being combined again with the connection elements.

In the case of the method according to the invention, it is thus possible to define decomposition orders, replacement or translation specifications and combination orders on the basis of the structured generation of the operation and observation images. As a result, the creation of the operation and observation images from MCR schemes that are taken as a basis can be simplified to the greatest possible extent. This is very simple in particular when the replacement is effected using a transformation table. The latter may preferably contain sector-typical transformation information items.

The MCR schemes contain as standard standardized individual elements (DIN 19227), so that both the decomposition into individual elements and the

identification for carrying out a transformation and the subsequent replacement can be schematized. As a result, the generation can be considerably simplified. The possibility is also afforded of using suitable computers and software for generating the operation and observation images in a manner automated to the greatest possible extent.

The use of masking-out elements serves to mask out functional elements that are contained in the MCR schemes and are not required in the process images. Insofar as connection elements, for example pipelines, are interrupted by the masking-out, the masking-out elements can, for their part, also contain connection elements in order to close the lines in the process images.

After the individual elements have been combined, the decomposition order usually being employed in reverse, a process image is produced which can represent the functional essential features of the installation.

In accordance with a particularly advantageous proposal of the invention, the individual representation and masking-out elements and also the connection elements can be grouped into representation units. These groupings correspond to the later individual process images, taking account of processing units.

The generation method according to the invention makes it possible to employ graphic methods which can proceed in a computer-aided manner. The image formats can be varied as desired and the finished process images can be converted into data formats which can be revised in the respectively desired process visualization system.

In addition to the representation and maskingout elements, dialog elements can be supplemented, which can be effected manually and/or likewise automatically. Further additional elements which are required in an installation-specific manner can also be supplemented or used instead of corresponding elements.

The transformation table may be based on a database, so that the entire generation method can be carried out to the greatest possible extent in a computer-aided manner.

The invention provides a complex method which greatly simplifies the generation of operation and observation images from supplied MCR schemes and makes use of the standardization of the supplied schemes and transformation possibilities that can be specified at least for individual sectors. Sectors in which the socalled MCR schemes are elaborated as control basis are, for example, the paper industry, the foodstuff and luxury food industry, power station construction or the chemical industry. The method according to the invention enables the future use of computers to

٠,

generate the desired images, the method enabling automation to the greatest possible extent.

Further advantages and features of the invention emerge from the description below with reference to the figure, in which:

Figure 1 shows an exemplary schematic representation of an operation of converting an MCR scheme into a process visualization image.

Figure 1 shows, on the upper side, a small detail from a standardized and standard-conforming MCR scheme in which the individual functional elements are identified in accordance with the standard and are incorporated into a control scheme using connection elements. Firstly, the individual components of the MCR scheme need to be identified. This can be done for example using an identification file which identifies the individual representation elements, taking account of the standard specifications, as functional element to type according and function or as connection element. At the same time or afterward, the individual identified components can be determined with regard to their relevance for the control technology. This can likewise be done using, if appropriate, sector-specific basic files or manually. Using a transformation table, which may likewise be stored as a database, the functional structures assigned to the components are identified and thus the dialog elements required for the operation of the components. Ιf identified

components are not relevant for the control technology, they are replaced by a masking-out element, in which case, for example, connection lines into which these components were incorporated are closed again. For this purpose, use is made of masking-out elements in the of corresponding pipeline representations. the translated individual Finally, elements combined again, the processing units which correspond to the later individual process images preferably being formed in this phase. Finally, the graphics generated are converted into a data format which can be processed by the processing visualization system to be used. The desired or required dialog elements, addition information elements and the like, which also include message outputs, navigation aids, etc., are inserted or supplemented.

After the conclusion of these operations, the process visualization image shown on the lower side in figure 1 has been produced from the standard-conforming MCR scheme shown on the upper side.

This process visualization image generated may, for its part, in turn serve as a basis for the realization of the control technology.

Patent claims

- 1. Α method for generating operation observation images for installation control systems, an MCR scheme being decomposed into individual components in the form of functional elements and connection elements, the individual functional elements being replaced by representation elements or by masking-out elements and the representation and masking-out elements being combined again with the connection elements.
- 2. The method as claimed in claim 1, characterized in that representation elements or masking-out elements are replaced or supplemented by the dialog elements.
- 3. The method as claimed in one of the preceding claims, characterized in that the representation or masking-out elements are supplemented by additional elements.
- 4. The method as claimed in one of the preceding claims, characterized in that the decomposition and the combination are effected according to defined orders.
- 5. The method as claimed in one of the preceding claims, characterized in that the functional elements are replaced using a transformation table.
- 6. The method as claimed in one of the preceding claims, characterized in that connection supplementation elements are used instead of masking-out elements.

- 7. The method as claimed in one of the preceding claims, characterized in that the representation and masking-out elements and the connection elements are grouped into representation units.
- 8. The method as claimed in one of the preceding claims, characterized in that the operation and observation images generated are represented graphically.
- 9. The method as claimed in one of the preceding claims, characterized in that the operation and observation images generated are formatted to predetermined formats.
- 10. The method as claimed in one of the preceding claims, characterized in that a database is used as the transformation table.
- 11. The method as claimed in one of the preceding claims, characterized in that the operation and observation images are generated under software control.
- 12. The method as claimed in one of the preceding claims, characterized in that the operation and observation images generated are converted into a data format of a process visualization system.

Accompanied by 1 page of drawings

Key to figures

- 1 DRAWINGS PAGE 1
- 2 Number:
- 3 Date laid open:
- 4 October 22, 1998
- 5 Gray stock
- 6 Rinsing water
- 7 Accepted stock
- 8 Rejects
- 9 Seal water